

REMARKS

This Reply is submitted in response to an Advisory Action mailed on March 31, 2008. Claims 1 to 14 are pending in the present application. Claims 10 to 14 are withdrawn from consideration. Claim 1 has been amended. No claims have been added. In view of the following remarks, reconsideration by the Examiner and allowance of the application are respectfully requested.

Discussion of §102(b) Rejections of Claims 1-9

In Section 1 of the Action, Claims 1-9 were rejected under § 102(b) as being anticipated by U.S. Patent No, 5,383,993 to Chatterjee *et al.* ("Chatterjee"). The applicants traverse respectfully this rejection.

Claim 1 is novel over Chatterjee, because Claim 1 recites a doping of glass. Chatterjee does not disclose a doping of glass. Thus Chatterjee does not anticipate Claim 1.

To anticipate a claim, the reference must teach every element of the claim. M.P.E.P. § 2131. Chatterjee does not teach the element of a glass component. Thus, Chatterjee does not anticipate Claim 1, or claims dependent thereon, and is not a valid § 102 reference.

Applicants agree with Examiner's assertion in section titled "Response to Arguments", specifically second and third paragraphs, that glass is being used to dope a ceramic oxide. Applicants also agree with Examiner's assertion that ceramic oxide is being doped, and not glass. The dopant is glass.

The phrase "glass component" is defined in the description, specifically page 6, third paragraph (corresponding to paragraph [0029] in U.S. Patent Application Publication No. 2005/0104264): "[t]he glass refers to a composite of various oxides based on SiO₂." The term "glass" is further characterized as having smaller thermal expansion coefficient than oxide ceramics, lower melting points than oxide ceramics, etc. All such characterizations are

consistent with the general understanding of the term as an amorphous substance.

The characterization of the dopant in the claimed invention as glass is material to the definition of the invention. In the present application MgO is used as a component in glass -- specifically "the glass preferably consists of MgO, Al₂O₃, and SiO₂ as principal components." (page 6, third paragraph). In this case the glass refers to a mixture MgO, Al₂O₃ and SiO₂ as principal components. Although it is generally recognized that both pure MgO and pure Al₂O₃ act as crystalline solids, when combined together with SiO₂, the mixture of MgO, Al₂O₃ and SiO₂ act as glass. Such glass, as stated above, has a lower melting point, smaller thermal coefficient, etc.

On the other hand, Chatterjee discloses various oxide dopants, such as MgO. It is known that MgO has a crystalline structure (cubic symmetry), and a melting point of about 2800 °C. MgO in this form is not glass. The fact that the dopant is glass, because the improved material characteristics of oxide ceramics depends in part on the ability of glass to permeate to the surface of the work piece and to fill between particles of the ceramic. The lower melting temperature that is exhibited by glass (such as that comprising MgO) makes it easier to permeate to the surface of the work piece and to fill between particles of the ceramic than for a crystalline oxide (such as MgO), which has a higher melting point.

A withdrawal of the § 102(b) rejection is requested respectfully.


Conclusion

In view of the above claim amendments and remarks, this application is now believed to be in condition for allowance. Reconsideration is, therefore, respectfully requested.

This Preliminary Amendment to the Advisory Action mailed on March 31, 2008 is being filed along with an RCE.

Date: *June 16, 2008*

Respectfully submitted,

A handwritten signature in cursive script, reading "Perry M. Fonseca", written over a horizontal line.

Perry Fonseca
Reg. No. 50,975

SYNNESTVEDT & LECHNER LLP
P.O. Box 592
Princeton, NJ 08542-0592
Telephone: 609-924-3773
Facsimile: 609-924-1811